

[Home](#)[My Sites](#)[Marketplace](#)[Email & Office](#)

Domains

My Domains

[Register \(/cgi/register\)](/cgi/register)[Assign \(/cgi/hosting/assign\)](/cgi/hosting/assign)[Redirects \(/cgi/dm/redirect\)](/cgi/dm/redirect)[Transfer \(/cgi/transfer\)](/cgi/transfer)[Subdomains \(/cgi/dm/subdomain\)](/cgi/dm/subdomain)[Advanced \(/web-hosting/cplogin?goto_uri=/frontend/bluehost/index.html\)](/web-hosting/cplogin?goto_uri=/frontend/bluehost/index.html)

[My Domains](#) / [phwl.org](#) / [DNS](#)



phwl.org

RegistrarBluehost

Registration DateJan 2, 2008

Contact Info● Verified● Private

Transfer LockLocked 

Renewal Contact Security **DNS**

Name Servers

Name Servers store the configuration of your domain as a collection of resource records.

Name Server 1
ns1.bluehost.com
162.159.24.80

Name Server 2
ns2.bluehost.com
162.159.25.175

Edit

DNS Manager

DNS records are advanced settings required for domain services to function properly. Use caution when adding or editing. [Learn More \(/hosting/help/what-are-dns-records\)](/hosting/help/what-are-dns-records)

Reset Zones to Default

A (Host)

Address Record points a domain or subdomain to an IP address. For example, you can use it for store.website.com and point it to where you have your store.

Add Record

Host Records

@	▼
localhost	▼
ftp	▼
autoconfig	▼
autodiscover	▼
Show All ▼	

CNAME (Alias)

Canonical Name points one domain or subdomain to another domain name, allowing you to update one A Record each time you make a change.

Add Record

Host Records

www	▼
imap	▼
pop	▼
smtp	▼

MX (Mail Exchanger)

Mail Exchanger Entry directs email to a particular mail server.

Add Record

Host Records

Advanced Settings ▼

@



SRV (Service)

Service record points one domain to another domain name using a specific destination port.

Add Record

Host Records

_autodiscover



_caldavs



_carddav



_autodiscover



_carddavs



Show All

TXT (Text)

Text Entry was originally intended for human-readable text. These records are dynamic and can be used for several purposes.

Add Record

Host Records

@



default._domainkey.blog



_caldavs._tcp



_carddav._tcp



_carddavs._tcp



Show All

AAAA (IPv6 Host)

An AAAA record points a domain or subdomain to an IPv6 address

Add Record

Host Records